

- Peckford, G., Dwyer, J.A., Snow, A.C., Thorpe, C.M., Martin, G.M., & Skinner, D.M. (In Press). The effects of lesions to the postsubiculum or the anterior dorsal nucleus of the thalamus on spatial learning in rats. *Behavioral Neuroscience*.
- Deibel, S.H., Ingram, M.L., Lehr, A.B., Martin, H.C., Martin, G.M., Hughes, I.M.W., & Thorpe, C.M. (2014). In a daily time-place learning task, time is only used as a discriminative stimulus if each daily session is associated with a distinct spatial location. *Learning and Behavior*, 42, 246-255.
- Skinner, D.M., Martin, G.M., Wright, S.L., Tomlin, J., Odintsova, I.V., Thorpe, C.M., Harley, C.W., & Marrone, D.F. (2014). Hippocampal spatial mapping and the acquisition of competing responses. *Hippocampus*, 24, 396-402. DOI: 10.1002/hipo.22233
- Dwyer, D.A., Ingram, M.L., Snow, A.C., Thorpe, C.T., Martin, G.M., & Skinner, D.M. (2013). The effects of bilateral lesions to the dorsal tegmental nucleus on spatial learning in rats. *Behavioral Neuroscience*, 127, 867-877.
- Walsh, S.J., Martin, G.M., and Courage, M.L. (2014). The development of prospective memory in preschool children using naturalistic tasks. *Journal of Experimental Child Psychology*, 127, 8-23.
- Peckford, G., McRae, S.M., Thorpe, C.M., Martin, G.M., and Skinner, D.M. (2013). Rats' orientation at the start point is important for spatial learning in a water T-maze. *Learning and Motivation*, 44, 1-15.
- Grant, V.L., McDonald, S.V., Sheppard, R.C, Caldwell, T.H, Heeley, T., Brown, A.R., and Martin, G.M. (2012). Dissociation of conditioned taste avoidance from conditioned disgust reactions induced by wheel running in rats. *Behavioural Processes*, 90, 223-228.
- Martin, G.M., Pirzada, A., Bridger, A., Tomlin, J., Thorpe, C.M., and Skinner, D.M. (2011). Manipulations of start and food locations affect navigation on a foraging task. *Learning and Motivation*. 42, 288-299.
- De Jong, L., Gereke, B., Martin, G.M., and Fellous, J.M. (2011). The travelling salesrat: Insights into the dynamics of optimal spatial navigation. *Journal of Neural Engineering*, 8, Article number 065010.
- Brown, A. R., Penny, A.M., Skinner, D.M., and Martin, G.M. (2011). Aversive, appetitive and flavor avoidance responses in the presence of contextual cues. *Learning and Behavior*, 39, 95-103.
- Skinner, D.M., Horne, M., Murphy, K.E.A., and Martin, G.M. (2010). Rats' Orientation is more Important than Start point Location for Successful Place Learning. *Journal of Experimental Psychology: Animal Behavior Processes*, 36, 110-116.

- Whyte, J., Martin, G.M., and Skinner, D.M. (2009). An assessment of response, direction and place learning in a water T-maze. *Learning and Motivation*, 40, 376-385.
- Wright, S.L., Williams, D., Evans, J.H., Skinner, D.M., and Martin G.M. (2009). The contribution of spatial cues to memory: Direction, but not cue, changes support response reversal learning. *Journal of Experimental Psychology: Animal Behavior Processes*, 35, 177-185.
- Kouwenberg, A-L., Walsh, C.J., and Martin, G.M. (2009). Episodic-like memory in crossbred Yucatan minipigs (*Sus scrofa*). *Applied Animal Behaviour Science*, 117, 165-172.
- Walsh, S.J., Harley, C.W., Corbett, D., Skinner, D.M., and Martin, G.M. (2008). CA1 ischemic injury does not affect the ability of Mongolian gerbils to solve response, direction, or place problems. *Brain Research*, 1187, 194-200.
- Horne, M.R., Martin, G.M., Harley, C.W., Skinner, D.M. (2007). Where am I? Distal cue use requires sensitivity to start location change in the rat. *Journal of Experimental Psychology: Animal Behavior Processes*, 33, 92-99.
- Walsh, S., Skinner, D.M. and Martin, G.M. (2007). Location serves as a conditional cue when harp seals (*Pagophilus groenlandicus*) solve object discrimination reversal problems. *Canadian Journal of Experimental Psychology*, 61, 44-53.
- Martin, G.M., Evans, J.H., Harley, C.W., and Skinner, D.M. (2005). Lost in time: rats are unable to return to a start location that varies. *Connection Science*, 17, 127-144.
- Stringer, K.G., Martin, G.M., and Skinner, D.M. (2005). The effects of hippocampal lesions on response, direction, and place learning in rats. *Behavioral Neuroscience*, 119, 946-952.
- Mansour, A.H., Babstock, D.M., Penney, J.H., Martin, G.M., McLean, J.H., Harley, C.W. (2003). Novel objects in a holeboard probe the role of the locus coeruleus in curiosity: Support for two modes of attention in the rat. *Behavioral Neuroscience*, 117, 621-631.
- House, D. J., Squires, A.S., Martin, G.M., and Skinner, D.M. (2003). Perirhinal cortex lesions impair context aversion learning. *Learning and Memory*, 10, 161-167.
- Skinner, D.M., Etchegary, C.M., Ekert-Maret, E., Baker, C.J., Harley, C.W., Evans, J., and Martin, G.M. (2003). An analysis of response, direction, and place dispositions on an open field. *Journal of Experimental Psychology: Animal Behavior Processes* 29, 3-13.
- Martin, G.M., Walker, K.M., and Skinner, D.M. (2003). A single unstable visual cue impairs spatial learning in a water maze. *Learning and Motivation*, 34, 87-103.
- Astur, R.S., Klein, R.L., Mumby, D.G., Protz, D.K., Sutherland, R.J., & Martin, G. M. (2002). A Role for Olfaction in Object Recognition by Normal and Hippocampus-damaged Rats. *Neurobiology of Learning and Memory*, 78, 186-191.

- Huxter, J.R., Thorpe, C.M., Martin, G.M., and Harley, C.W. (2001). Spatial problem and hippocampal place cell in rats: control by an internal sense of direction carried across environments. *Behavioural Brain Research*, 123, 37-48.
- Harley, C.W., Martin, G.M., Skinner, D.M., Squires, A.M. (2001). The moving fire hydrant experiment: Movement to a new location reelicits marking in rats. *Neurobiology of Learning and Memory*, 75, 303-309.
- Skinner, D.M. Martin, G.M., Scanlon, C.J., Thorpe, C.M., Barry, J., Evans, J.H., and Harley, C.W. (2001). A two-platform task reveals a deficit in the ability of rats to return to the start location in the water maze. *Behavioral Neuroscience*, 115, 220-228.
- Hynes, C.A., Martin, G.M., Harley, C.W., Huxter, J., and Evans, J.H. (2000). Multiple points of entry into a circular enclosure prevents place learning despite normal vestibular orientation and cue arrays: Evidence for map resetting. *Journal of Experimental Psychology: Animal Behavior Processes*, 26, 64-73.
- Harley, C.W., & Martin, G.M. (1999). Open field motor patterns and object marking, but not object sniffing, are altered by ibotenate lesions of the hippocampus. *Neurobiology of Learning and Memory*, 72, 202-214.
- Martin, G.M., Harley, C.W., Smith A.R., Hoyles, E.S., & Hynes, C.A. (1997). Spatial disorientation blocks reliable goal location on a plus maze but does not prevent goal location in the Morris maze. *Journal of Experimental Psychology: Animal Behavior Processes*, 23, 183-193.
- Skinner, D.M., Martin, G.M., Howe, R.D., Pridgar, A. and van der Kooy, D. (1995). Drug discrimination learning using a taste aversion paradigm: an assessment of the role of safety cues. *Learning and Motivation*, 26, 343-369.
- Skinner, D.M., Martin, G.M., Harley, C., Kolb, B., Pridgar, A., Bechara, A., and van der Kooy, D. (1994). Acquisitions of conditional discriminations in hippocampal lesioned and decorticated rats: evidence for learning that is separate from both simple classical conditioning and configural learning. *Behavioral Neuroscience*, 108, 911-926.
- Skinner, D.M., Martin, G.M., Pridgar, A. and van der Kooy, D. (1994). Conditional control of fluid consumption in occasion setting paradigm is independent of Pavlovian associations. *Learning and Motivation*, 25, 368-400.
- Bechara, A., Martin, G.M., Pridgar, A. and van der Kooy, D. (1993). The parabrachial nucleus: A brain stem substrate critical for mediating the aversive motivational effects of morphine. *Behavioral Neuroscience*, 107, 147-160.
- Skinner, D.M., & Martin, G.M. (1992). Conditioned taste aversions support drug discrimination learning at low dosages of morphine. *J Behavioral and Neural Biology*, 58, 236-241.

- Martin, G.M., Bechara, A., and van der Kooy, D. (1991). The perception of emotion: Parallel neural processing of the affective and discriminative properties of opiates. *Psychobiology*, 19, 147-152.
- Martin, G.M., Gans, M., van der Kooy, D. (1990). Discriminative properties of morphine that modulate associations between tastes and lithium chloride. *Journal of Experimental Psychology: Animal Behavior Processes*, 16, 56-68.
- Strefurak, T.L., Martin, G.M., van der Kooy, D. (1990). The representation of morphine's unconditioned effects depends on the nature of the conditioned stimulus. *Psychobiology*, 18, 435- 442.
- Martin, G.M. & Doyle, D.V. (1989). A flavor paired with lithium chloride blocks the formation of a pentobarbital-lithium chloride association. *Behavioral and Neural Biology*, 58, 108-115.
- Weingarten, H.P., & Martin, G.M. (1989). Mechanisms of conditioned meal initiation. *Physiology and Behavior*, 45, 735-740.
- Martin, G.M., Bechara, A. & van der Kooy, D. (1988). Morphine pre-exposure attenuates the aversive properties of opiates without pre-exposure to the aversive properties. *Pharmacology Biochemistry and Behavior*, 30, 687-692.
- Revusky, S., & Martin, G.M. (1988). Glucocorticoids attenuate taste aversions produced by toxins. *Psychopharmacology*, 96, 400-407.
- Martin, G.M. & Lett, B.T. (1985). Formation of associations of colored and flavored food with induced sickness in five avian species. *Behavioral and Neural Biology*, 43, 223-237.
- Martin, G.M. (1984). Disruption of chickens color aversions when training and test mediums are different. *Animal Learning and Behavior*, 12, 79-88.
- Martin, G.M. (1983). Effect of pairings of pentobarbital with lithium chloride on the capacity of pentobarbital to maintain a conditioned aversion. *Behavioral and Neural Biology*, 39, 145-148.
- Martin, G. M. (1982). Examination of factors which might disrupt a learned association between pentobarbital and LiCl. *Learning and Motivation*, 13, 185-199.
- Gillette, K., Martin, G.M. and Bellingham, W.P. (1980). Differential use of food cues in the formation of conditioned aversions by domestic chicks (*Gallus gallus*). *Journal of Experimental Psychology: Animal Behavior Processes*, 6, 99-111.
- Martin, G. M. and Timmins, W.K. (1980). Taste-sickness associations in young rats over varying delays, stimulus and test conditions. *Animal Learning and Behavior*, 8, 529-533.

- Bolas, K.C., Bellingham, W.P., & Martin, G. M. (1979). Aversive properties of cycloheximide versus memory inhibition in chickens' formation of visually cued food aversions. *Pharmacology, Biochemistry and Behavior*, 10, 251-254.
- Gillette, K., Bellingham, W.P., & Martin, G.M. (1979). Transfer of taste aversion from food to water under various states of deprivation. *Animal Learning and Behavior*, 7, 441-446.
- Martin, G. M. & Bellingham, W.P. (1979). Learning of visual food aversions by chickens (*Gallus gallus*) over long delays. *Behavioral and Neural Biology*, 25, 58-68.
- Storlien, L.H., Martin, G. M. and Bellingham, W.P. (1979). Body weight regulation over the estrus cycle of the rat: Basal insulin levels and effect of vagotomy. *Behavioral and Neural Biology*, 27, 87-95.
- Jones, L., Bellingham, W.P., & Martin, G. M. (1978). Avoidance of toxins by the Galah (*Coccyus roseicapilla*). *Emu*, 25, 231-233.
- Martin G.M., Bellingham, W.P., & Storlien, L.H. (1977). Effects of varied color experience on chickens' formation of color and texture aversions. *Physiology and Behavior*, 18, 465-470.
- Martin, G.M., & Storlien, L.H. (1976). Anorexia and conditioned taste aversions in the rat. *Learning and Motivation*, 7, 274-282.
- Storlien, L.H., Bellingham, W.P., & Martin, G.M. (1975). Localization of CNS glucoregulatory insulin receptors in the ventromedial hypothalamus. *Brain Research*, 96, 156-161.